

Attention: Carolyn
Company: Manhattan Wardrobe Supply



NEW HORIZONS DIVERSIFIED INTERESTS
8149 Monument Drive • PO Box 1267
Grants Pass, Oregon 97526-8716
phone (541) 476-8782
FAX (541) 479-0747

Section Five

Material Safety Data

5.1 Hazard Signals

HEALTH*: 1 REACTIVITY: 0

FIRE: 1 OTHER: 0

(O=Insignificant;1=slight; 2=moderate;3=high;4=extreme)

*Short term contact or inhalation hazard only.

5.2 Emergency Contact

In Case of an Emergency, "IT STAYS!"® Body Adhesive is registered with **POISONDEX®**. Contact your Local *Poison Control Center* for more information.

5.3 Hazardous Ingredients/Identity Information

INGREDIENTS	CAS No.	OSHA PEL	ACGIH TLV	IDLH LEVEL	% OPT
-------------	---------	-------------	--------------	---------------	----------

The names of the ingredients are being withheld as a Trade Secret under provisions of the Hazard communication Standard 29 CFR 1910.1200

Product vapor	400 ppm	400 ppm
---------------	---------	---------

5.4 Physical/Chemical Characteristics

Boiling Point: >160°F

Specific Gravity: 0.7 (H₂O = 1)

Vapor Pressure: 55 mmHg

Evaporation Rate: 3 (n-Butyl Acetate = 1)

Vapor Density: 2 (Air = 1)

Solubility in Water: Complete

Appearance and Odor: Clear gel with slight medicinal odor

"IT STAYS!"® Body Adhesive

Original Document Date: 03/31/92

TECHNICAL DOCUMENTATION

Updated: 10/09/00

Page 2 of 3

Section Five

Material Safety Data (contd.)

5.5 Fire and Explosion Hazard Data

Flash Point (method): appx 50°F (T.C.C.) Flammable Limits: 2 - 13% in air
Extinguishing Media: Water, Dry chemical, CO2, Foam LEL: 2
Special Fire Fighting Procedures: NONE UEL: 13
Unusual Fire and Explosion Hazards: NONE

5.6 Reactivity Data

Stability: STABLE Conditions to Avoid: NONE
Incompatibility: STRONG OXIDIZERS
Hazardous Decomposition Products: OXIDES OF CARBON
Hazardous Polymerization: WILL NOT OCCUR

5.7 Health Hazard Data

Threshold Limit Value: 400 ppm (vapor)
Routes of Entry: Inhalation? YES Skin? NO Ingestion? YES
Health Hazards (acute and chronic):
Chronic: Unknown Acute: CNS Symptoms
Carcinogenicity: NTP? NO IARC Monographs? NO
 OSHA Regulated? NO

Medical Conditions Generally Aggravated By Exposure: Conjunctivitis, Dermatitis, and Impaired Respiratory Functioning.

OVEREXPOSURE, signs and symptoms:

SKIN: No effects of exposure expected due to contact. May possibly cause irritation or dermatitis in some individuals upon prolonged contact.

INTERNAL: Stomach Upset

INHALATION: Dizziness

EMERGENCY AND FIRST AID PROCEDURES:

EYES: Immediately flush with cool running water for at least fifteen (15) minutes while holding the lids apart. Remove contact lenses if necessary. Obtain Medical Assistance.

"IT STAYS!"® Body Adhesive

Original Document Date: 03/31/92

Updated: 10/09/00

TECHNICAL DOCUMENTATION

Page 3 of 3

Section Five

Material Safety Data (contd.)

SKIN: If irritation occurs, wash with soap and water. If irritation persists, then obtain medical attention.

INTERNAL: If swallowed, call 911 immediately for emergency assistance. Rinse mouth with water, then drink 1 to 2 glasses of water. Induce vomiting. *NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON!*

INHALATION: If dizziness occurs, remove to fresh air; obtain medical assistance if necessary.

5.7 Precautions for Safe Handling and Use

In Case Material Is Released or Spilled:

Small Spills: flush to drain with water; wash area with detergent.

Precautions to be Taken in Handling and Storing: NONE

Other Precautions: NONE

5.8 Control Measures

Respiratory Protection (specify type): NONE

Ventilation: Local Exhaust: NA Special: NA
Mechanical (general): ADEQUATE

Protective Gloves: RUBBER OR VINYL FOR SPILL CLEANUP

Eye Protection: GOGGLES FOR SPILL CLEANUP

Other Protective Clothing or Equipment: NONE

Work Hygiene Practices: AFTER USING OR SPILL CLEANUP WASH WITH SOAP AND WATER

END OF SECTION

DISCLAIMER

This information is furnished gratuitously, independent of any sale, and for your independent verification. Although New Horizons believes the data to be correct as of the date indicated, no representation as to its accuracy is made, and such information may not be valid when product is used in any process or combined with other materials. No representation(s), guarantee, or warranty, either express, implied, or of any nature, is made with respect to the data provided.

NORTHWEST TESTING LABORATORIES

4115 N. MISSISSIPPI AVENUE
P.O. BOX 17126
PORTLAND, OREGON 97217

CONSTRUCTION INSPECTION
MATERIALS INSPECTION
CHEMICAL ANALYSIS
PHYSICAL TESTING

NON-DESTRUCTIVE TESTING
WELDING CERTIFICATION
SOIL TESTING
ASSAYING

July 1, 1981

New Horizons Diversified Interests
P.O. Box 1267
Grants Pass, Oregon 97526

Attention: Mr. Herb Kiouss

Gentlemen:

Subject: Evaluation of "It Stays" products
for toxicity.


Report:

Item: "It Stays" Adhesive

Analysis: Evaluation was made on materials safety
data information as submitted.

Materials used in the formulation of "It Stays" adhesive
are non-toxic when used as directed and will not normally
cause skin irritation. Prolonged or direct breathing of
vapors should be avoided.

Respectfully,
NORTHWEST TESTING LABORATORIES, INC.



Paul Irish, Portland Manager

Report Number: 237487B